



HP Smart Tank 615 Wireless All-in-One

Best in-class print quality,¹ cartridge-free printing with innovative design

This cartridge-free printer delivers uncompromising quality and up to 3 years of ink included in the box.² Get faster connections with dual-band Wi-Fi,³ and easy mobile printing with the best in-class mobile printing app – HP Smart.^{4,5}



Highlights

- CISS Technology – cartridge-free printer with innovative design
- Print, copy, scan, wireless, ADF, fax
- Several years of print in the box (up to 18 000 black or 8 000 colour pages)
- Clean, easy self-refill

Innovative cartridge-free ink printer – for high-volume, low-cost printing

- Up to 18,000 black pages or up to 8,000 colour pages already in the box.⁶
- Easily monitor and maintain ink levels with an integrated tank design and an automatic ink sensor.
- Fast self-refill with spill-free, resealable bottles of high capacity.⁷
- Easily replaceable print heads.
- Up to 3 years free warranty.

Faster connections, easy productivity – wherever you are

- Freedom to work from virtually anywhere with HP Smart – best in-class mobile printing app.⁴
- Optimise repetitive tasks with customisable shortcuts using Smart Tasks feature.⁴
- Get faster, more reliable connections with dual band Wi-Fi®.³
- Get up to 38% faster speeds compared to HP Ink Tank.⁸
- Work fast with the 35 page auto-feeder.⁹

CISS technology delivers best in-class print quality

- Get thousands of high quality printouts right from the box – at home and in office.
- Count on dark, crisp text, and get vibrant colour graphics for all your prints.
- Print fade-resistant photos that last.¹⁰
- Create borderless brochures, flyers, photos, and other documents that look great.

Product walkaround

Accessories, Supplies and Support

Supplies ⁶	1VW21AE HP GT53XL 135-ml Black Original Ink Bottle (~6,000 pages)
	6ZA17AE HP 6ZA17AE Black Printhead
	6ZA18AE HP 6ZA18AE Tri-color Printhead
	MOH54AE HP GT52 Cyan Original Ink Bottle (~8,000 pages)
	MOH55AE HP GT52 Magenta Original Ink Bottle (~8,000 pages)
	MOH56AE HP GT52 Yellow Original Ink Bottle (~8,000 pages)
Accessories	
Service and Support	<p>UC3C1E HP 3 year Standard Exchange for Smart Tank 610 Service</p> <p>UA5C0E HP 3 year Next Business Day Exchange for Smart Tank 610 Service</p> <p>UA5C2E HP 3 year Return to Depot for Smart Tank 610 Service</p> <p>(UC3C1E: available in All EMEA countries Except ME, Africa, South Africa, Israel, Turkey, UA5C0E: available in Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia, UA5C2E: available in Russia, ME, Africa, South Africa, Israel, Turkey)</p>

Technical specifications

Model	HP Smart Tank 615 Wireless All-in-One
Product number	Y0F71A
Functions	Print, copy, scan, fax, ADF, wireless
Control panel	5.59 cm (2.2 in) Touchscreen MGD (Monochrome graphics), power button, touch button (Home, Help, Back)
Print	
Print technology	HP Thermal Inkjet
Print speed ⁵	Black (A4, normal): Up to 11 ppm Colour (A4, normal): Up to 5 ppm ; Black (General Office): Up to 22 ppm Colour (General Office): Up to 16 ppm
First page out	Black (A4, ready): As fast as 14 sec Colour (A4, ready): As fast as 21 sec
Print resolution	Black (best): Up to 1200 x 1200 rendered dpi Colour (best): Up to 4800 x 1200 optimised dpi colour (when printing from a computer and 1200 input dpi)
Monthly duty cycle	Up to 1000 pages A4; Recommended monthly page volume: 400 to 800
Printer smart software features	No
Standard print languages	HP PCL 3 GUI
Print area	Print margins Top: 3 mm, Bottom: 3 mm, Left: 3 mm, Right: 3 mm; Maximum print area : 216 x 355 mm
Duplex printing	Manual (driver support provided)
Copy	
Copy speed ⁴	Black (A4, ISO): Up to 10 cpm; Colour (A4, ISO): Up to 2 cpm
Copier specifications	Number of Copies, Resize, Quality, Lighter/Darker, Papersize, Papertype, ID Copy, Enhancement; Maximum number of copies: Up to 99 copies; Copy resolution: Up to 600 dpi; Reduce/Enlarge: fit to page
Scan	
Scan speed	Normal (A4): Up to 3 ppm (200 ppi, colour); Up to 5 ppm (200 ppi, monochrome)
Scan file format	JPEG, TIFF, PDF, BMP, PNG
Scanner specifications	Scanner type Flatbed, ADF (optional); Scan technology: Contact Image Sensor (CIS); Scan input modes: Front Panel Scan; Copy; Fax; HP Software; EWS; Twain version: Version 2.1; Optical scan resolution: Up to 1200 dpi
Scanner advanced features	No
Scannable area	Maximum media size (flatbed): 216 x 297 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	24-bit / 256
Digital sending	Standard: Everyday scan (scan to PDF); HP Smart Tasks
Fax	
Fax	Yes, color
Fax specifications	Fax resolution: Standard: 203 x 98 dpi; Fine: 203 x 196 dpi; Quick dialing: Up to 99 numbers
Fax smart software features	No
Processor speed	800 MHz
Connectivity	
Standard	1 Wi-Fi Direct; 2 Hi-Speed USB 2.0 (device)
Mobile printing capability ³	Apple AirPrint; Mopria Print Service; HP Print Service Plugin (Android printing); Google Cloud Print™; Wi-Fi Direct Printing
Supported network protocols	9100, SNMP, SLP, IPP, WS-Print, Wireless, LPR
Network capabilities	Yes (via Wi-Fi)
Memory	Standard: 256 MB; Integrated memory; Maximum: 256 MB
Media handling	
Number of paper trays	Standard: 1 ; Maximum: 1
Media types	Plain paper, Matte Brochure Papers, Glossy Brochure Papers, Photo papers, Envelopes, other specialty inkjet papers
Media size	Custom (metric): 76.2 x 127 mm to 215.9 x 355.6 mm Supported (metric): A4; B5; A6; DL envelope

Model	HP Smart Tank 615 Wireless All-in-One
Product number	Y0F71A
Media handling	Standard input: 100 sheet input tray Standard output: 30-sheet output tray
Media weight	Plain paper: 60 to 90 g/m ² ; Envelopes: 75 to 90 g/m ² ; Cards: up to 200 g/m ² ; Photo paper: up to 300 g/m ²
Input capacity	Maximum: Up to 100 sheets ADF: Standard, Up to 35 sheets
Output capacity	Standard: Up to 30 sheets Envelopes: Up to 10 envelopes Labels: Up to 10 sheets Cards: Up to 30 cards Maximum: Up to 30 sheets
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 13 Ventura; macOS 14 Sonoma
Compatible network operating systems	macOS 14 Sonoma; Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; macOS 10.11 El Capitan; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 13 Ventura
Minimum system requirements	Windows: Windows 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, Internet connection, USB port, Internet Explorer. Mac: OS X v10.11 El Capitan and above, Internet Access
Software included	Available from http://www.support.hp.com/drivers
Security management	No
Printer management	No
Dimensions and weight	
Printer dimensions (W x D x H) ¹	Minimum 449 x 373 x 198 mm; Maximum: 449 x 605.65 x 258.7 mm
Printer weight	6.19 kg
Operating environment	Temperature: 5 to 40°C Humidity: 20 to 80% RH
Storage conditions	Temperature: -40 to 60°C Humidity: 5 to 90% RH (non-condensing)
Acoustics	Acoustic power emissions: 6.4 B(A)
Power ²	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 0.11 watts (manual-off), 3.82 watts (ready), 0.71 watt (sleep); Typical Electricity Consumption (TEC): 0.17 kWh/Week; Power supply type: Internal built in
Energy savings feature technology	HP Auto-Off Technology
Certifications	Electromagnetic emission standard: CISPR 32:2015/EN 55032:2015 Class B; CISPR24:2010/EN 55024:2010; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 301 489-1 V2.1.1:2017; EAC (Russia) Telecom compliance: EN 300 328 V2.1.1:2016; EN 301 893 V2.1.0:2020
Sustainable impact specifications	No
Country of origin	Made in China
What's in the box	Y0F71A HP Smart Tank Plus 615; 3 x HP GT53XL 135-ml Black Original Ink Bottle; HP GT52 Cyan Original Ink Bottle; HP GT52 Magenta Original Ink Bottle; HP GT52 Yellow Original Ink Bottle; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; Power cord; For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies
Warranty	One year standard or 30,000 pages limited warranty and get up to 3 years extended warranty upon registration at http://www.hp.com/go/SmartTank3years warranty . User replaceable parts have separate warranty periods.

Footnotes

- ¹ Best in-class plain paper and photo print quality using OEM inks compared to majority of leading non-HP OEM CISS ink tank platforms <€449.99. Market share as reported by Q1 2019 Hardcopy Peripherals Tracker, 2019 Q1 Release. Test results should be similar for same platform with different model numbers using the same OEM ink formula. HP Smart Tank printers are also branded as HP Smart Tank Plus in some regions. Detail in May 2019 hands-on lab report by Keypoint Intelligence - Buyers Lab using OEM inks. See <http://www.keypointintelligence.com/hpsmarttankplus>.
- ² Based up on 200 pages per month usage. Actual yield varies considerably based on content of printed pages and other factors. Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Some ink from included bottles is used to start up the printer. For details see <http://www.hp.com/go/learnaboutsupplies>.
- ³ Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at <http://www.hp.com/go/mobileprinting>. Wi-Fi is a registered trademark of Wi-Fi Alliance®. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) vs 2.4 GHz band (up to 72.2 mbps).
- ⁴ Requires the HP Smart app download. For details on local printing requirements see <http://www.hp.com/go/mobileprinting>.
- ⁵ Compared to OEM mobile printing apps for the majority of top-selling inkjet & laser printers & all-in-ones for home & home office, priced less than or equal to €429.99. Market share as reported by IDC CYQ2 2018 Hardcopy Peripherals Tracker. Claim based on research of printer manufacturer's mobile print apps and Keypoint Intelligence - Buyers Lab hands-on testing and study commissioned by HP. See September 2018 report at www.keypointintelligence.com/HPSmartApp.
- ⁶ Black and composite colour average per bottle (cyan/magenta/yellow). Three GT53XL black bottles included in the box print up to 6,000 test pages each. Results based on HP methodology and continuous printing of ISO/IEC 24712 test pages. Not based on ISO/IEC 24711 test process. An additional black ink bottle may be required to print 8,000 colour test pages. Actual yield varies based on content of printed pages and other factors. Some ink from included bottles is used to start up the printer. For more information about fill and yield, see: <http://www.hp.com/go/learnaboutsupplies>.
- ⁷ When used in accordance with set up instructions.
- ⁸ Compared with HP Ink Tank All-in-One Printer series. Excludes first set of ISO test pages. For details, see <http://www.hp.com/go/printerclaims>.
- ⁹ Fax capabilities available only on HP Smart Tank 615 Wireless All-in-One. 35 page ADF available only on HP Smart Tank 530/HP Smart Tank 615 Wireless All-in-One.
- ¹⁰ For more information, see <http://www.hp.com/go/printpermanence>.

Technical specifications disclaimers

- ¹ Dimensions vary as per configuration
- ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- ³ Wireless performance is dependent upon physical environment and distance from the access point. Wireless operations are compatible with 2.4 GHz routers only; Excludes wireless direct. Wireless direct may require driver or apps be installed and connected on wireless-enabled mobile device or PC. Wireless functionality may vary by computer and mobile operating systems, see <http://www.hpconnected.com>. Print times and connection speeds may vary. AirPrint™ supports macOS Mojave, iOS 4.2 or later and requires the printer be connected to the same network as your macOS or iOS device. AirPrint, the AirPrint Logo and macOS are trademarks of Apple Inc. Windows is a trademark of the Microsoft group of companies.
- ⁴ Speed specifications have been updated to reflect current industry testing methods.
- ⁵ Either after first page or after first set of ISO test pages. For details see: <http://www.hp.com/go/printerclaims>
- ⁶ Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. For details see <http://www.hp.com/go/learnaboutsupplies>
- ⁷ Based on HP internal A4 Memo draft document methodology. For details see <https://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA8-4168ENW>.



<http://www.hp.com/uk>

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

rs-en October 2024

--

